://www.csc.liv.ac.uk/~mjw/pubs/imas/ 2	 1.1 Domain 1: Distributed Systems In this area, the idea of an agent is seen as a natural metaphor, and a development of the idea of concurrent object programming. Example domains: air traffic control (Sydney airport); business process management; power systems management; distributed sensing; Space shuttle fault diagnosis; factory process control. 	re 6 An Introduction to Multiagent Systems	LECTURE 6: APPLICATIONS An Introduction to Multiagent Systems http://www.csc.liv.ac.uk/~mjw/pubs/imas/	
http://www	• The on - H	Lecture 6	• Age act aut Thi way reg • Ma - I	Lecture 6
w.csc.liv.ac.uk/~mjw/pubs/imas/	1.2 Domain 2: Networks ere is currently a lot of interest in <i>mobile</i> agents, that can we themselves around a network (e.g., the Internet) operating a user's behalf. is kind of functionality is achieved in the TELESCRIPT language veloped by General Magic, Inc, for <i>remote programming</i> . plications include: hand-held PDAs with limited bandwidth; information gathering.	An Introduction to Multiagent Syste	1 Application Areas ents are usefully applied in domains where autonomous tion is required. elligent agents are usefully applied in domains where flexible tonomous action is required. is is not an unusual requirement! Agent technology gives us a y to build systems that mainstream software engineering yards as hard! ain application areas: distributed/concurrent systems; networks; human-computer interfaces.	An Introduction to Multiagent System

://www.csc.liv.ac.uk/~mjw/pubs/imas/
* organizational factors: structure on the net is only superficial — there are no standards for home pages, no semantic markup to tell you what a page contains;
* human factors: we get bored by slow response times, find it difficult to read the WWW rigorously (it is designed to prevent this!) get tired, miss things easily, misunderstand, and get sidetracked;
 systematic searches are difficult:
 the Internet is <i>enormous</i> — it is not always easy to <i>find</i> the right information manually (or even with the help of search engines);
 The reality is often disappointing:
The potential of the internet is exciting.
2 Agents on the Internet
an Introduction to Multisopart Systems
://www.csc.liv.ac.uk/~mjw/pubs/imas/ 4
 mail readers.
 web browsers;
 news reader;
 Pioneering work at MIT Media Lab (Pattie Maes):
 Agents sit 'over' applications, watching, learning, and eventually doing things without being told — taking the initiative.
 The idea is to move away from the <i>direct manipulation</i> paradigm that has dominated for so long.
 One area of much current interest is the use of agent in interfaces.
1.3 Domain 3: HCI
re 6 An Introduction to Multiagent Systems

http://www.csc.liv.ac.uk/~mjw/pubs/imas/ 5	
(From Being Digital, by Nicholas Negroponte, Hodder & Staughton, 1995.)	
collect information on your benalt. Agents will dispatch agents. The process multiplies. But [this process] started at the interface where you delegated your desires.' (p158)	
Like an army commander sending a scout ahead you will dispatch agents to	
falls ill, it would make no difference if the temping agency could send you Albert Einstein. This issue is not about IQ. It is shared knowledge and the practice of	
'If you have somebody who knows you well and shares much of your information, that person can act on your behalf very effectively. If your secretary	
trained in timing, versed in finding opportune moments, and respectful of idiosyncracies. ' (p150)	
'The 'agent' answers the phone, recognises the callers, disturbs you when	
One view:	
Lecture 6 An Introduction to Multiagent Systems	

An Introduction to Multiagent Systems	An Introduction to Multiagent Systems
	3 A Scenario
 What we want is a kind of 'secretary': someone who understood the things we were interested in, (and the things we are not 	 Here is a scenario illustrating the kinds of properties that we hope Internet agents will have:
interested in), who can act as 'proxy', hiding information that we are not interested in, and bringing to our attention information that <i>is</i> of interest. This is where agents come in!	Upon logging in to your computer, you are presented with a list of email messages, sorted into order of importance by your personal digital assistant (PDA). You are then presented with a similar list of news articles: the assistant
 We cannot afford <i>human</i> agents to do these kinds of tasks (and in any case, humans get suffer from the drawbacks we mentioned above). 	draws your attention to one particular article, which describes hitherto unknown work that is very close to your own. After an electronic discussion with a number of other
 So we write a program to do these tasks: this program is what we call an agent. 	PDAs, your PDA has already obtained a relevant technical report for you from an FTP site, in the anticipation that it will be of interest.
	 Demonstrator systems used today.
://www.csc.liv.ac.uk/~mjw/pubs/imas/ 8	http://www.csc.liv.ac.uk/~mjw/pubs/imas/ 9
re 6 An Introduction to Multiagent Systems	An Introduction to Multiagent Systems
	5 Email Reading Assistants
4 Another Scenario	 The staple diet of software agent researchers
ne 'agent' answers the phone, recognizes the callers, disturbs you when	 Pattie Maes developed MAXIMS – best known email assistant:
propriate, and may even tell a white lie on your behalf. The same agent is well ined in timing, versed in finding opportune moments, and respectful of osyncrasies. ' (p150)	'learns to prioritize, delete, forward, sort, and archive mail messages on behalf of a user'.
you have somebody who knows you well and shares much of your ormation, that person can act on your behalf very effectively. If your secretary Is ill. it would make no difference if the temping agency could send you Albert	 MAXIMS works by 'looking over the shoulder' of a user, and learning about how they deal with email.
nstein. This issue is not about IQ. It is shared knowledge and the practice of ing it in your best interests. (p151)	 Each time a new event occurs (e.g., email arrives), MAXIMS records the situation → action pairs generated.
ke an army commander sending a scout anead you will dispatch agents to lect information on your behalf. Agents will dispatch agents. The process	 Situation characterised by features of event:
Itiplies. But [this process] started at the interface where you delegated your sires.' (p158)	- sender of email;
rom <i>Being Digital</i> , by Nicholas Negroponte.)	 recipients;
://www.csc.liv.ac.uk/~miw/pubs/imas/	http://www.oso.liv.ac.uk/~miw/pubs/imas/

e 6 An Introduction to Multiagent Systems	Lecture 6
– etc.	
When new situation occurs, MAXIMS matches it against	• Tries
	• Con
	i ob.,
	Con
	- a
	"tell
	- a
	Con
	- a
	Rule
	• MAX
e 6 An Introduction to Multiagent Systems	Lecture 6
6 Agents for E-Commerce	• Sec
• Another important rationale for internet agents is the potential for electronic commerce.	
 Most commerce is currently done <i>manually</i>. But there is no reason to suppose that certain forms of commerce could not be safely delegated to agents. 	
• A simple example: finding the cheapest copy of Office 97 from online stores.	
 More complex example: flight from Manchester to Dusseldorf with veggie meal, window seat, and does not use a fly-by-wire control. 	
Simple examples first-generation e-commerce agents:	
- Bargain Finder from Andersen;	
- Jango from NEIBOI (NOW EXCILE). //www.csc.liv.ac.uk/~mjw/pubs/imas/ 14	http://www.

http://www.csc.liv.ac.uk/~mjw/pubs/imas/ 13
 MAXIMS has a simple 'personality', (a face icon), communicating its 'mental state' to the user.
 Rules can be "hard coded"; even get help from other users.
 agent acts.
Confidence > "do it":
 agent makes suggestion.
"tell me" < confidence < "do it":
 agent gets feedback.
Confidence < "tell me":
 Confidence level matched against two threshholds: "tell me" and "do it".
 Tries to predict what the user will do — generates a confidence level.
An Introduction to Multiagent Systems



://www.csc.liv.ac.uk/~mjw/pubs/imas/ 18	 Two key components of Jango/ShopBot: <i>learning vendor descriptions</i>; <i>comparison shopping</i>; 	re 6 An Introduction to Multiagent Systems	6. Watching for special offers & discounts.	 Help user decide what to buy. Finding specs and reviews of products. Make recommendations. Comparison shopping for best buy. Monitoring "what's new" lists. 	Jango (Doorenbos et al, Agents 97) is good example of e-commerce agent. Long-term goals:	re 6 An Introduction to Multiagent Systems
http://www.csc.liv.ac.uk/~mjw/pubs/imas/ 19	 Tour guides: The idea here is to have agents that help to answer the question 'where do I go next' when browsing the WWW. Such agents can learn about the user's preferences in the same way that MAXIMS does, and rather than just providing a single, uniform type of hyperlink actually indicate the likely interest of a link. Indexing agents: Indexing agents will provide an extra layer of abstraction on top of the services provided by search/indexing agents such as LYCOS and <i>InfoSeek</i>. The idea is to use the raw information provided by such engines, together with knowledge of the users goals, preferences, etc., to provide a <i>personalised</i> service. 	An Introduction to Multiagent Systems T Real Soon Now (Etzioni & Weld, 1995) identify the following specific types of agent that are likely to appear soon:	merchants use whitespace to separate products. http://www.csc.liv.ac.uk/~mjw/pubs/imas/ 17	 navigation regularity: sites designed so that products easy to find corporate regularity: sites designed so that pages have same look'n'feel; vertical separation: 	 Isn't comparison shopping impossible? WWW pages all different! Jango/ShopBot exploits several regularities in merchant WWW sites: 	Lecture 6 An Introduction to Multiagent Systems

re 6

An Introduction to Multiagent Systems

://www.csc.liv.ac.uk/~mjw/pubs/imas/

20